

1. PRODUCT & COMPANY IDENTIFICATION

- **Product Detail:**

Product name: BONDPROTECT 101

Physical form: Viscous Coloured liquid

Odour: Mild Odor

Colour: Grey

CAS No.:

- **Company Details:**

Manufacturer: Highbond Coatings Pvt Ltd

Address: Sr. No. 70/2B/1, Flat No 101 & 102,
Purushottam Villa, Vadgaon Bk,
Pune – 411041

Tel: +91 9370953995

Email: info@highbondcoatings.com

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification:

Acute toxicity, Inhalative,

Category 4 (H332)

Skin irritation, Category 2 (H315)

Eye irritation, Category 2 (H319)

Sensitization of the respiratory airways, Category 1 (H334)

Sensitization of the skin, Category 1 (H317)

Carcinogenicity, Category 2 (H351)

Specific target organ toxicity (single exposure),

Category 3 (H335)

Specific target organ toxicity (repeated exposure),

Category 2 (H373)

2.2 Label elements

GHS-Labeling



Signal word

Danger

Uncured product

Hazard statements:

H226 Flammable liquid and vapor

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H401 Toxic to aquatic life

H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H351 Suspected of causing cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Other hazards:

Results of PBT and vPvB assessment

PBT: Not applicable

VPvB: Not applicable

3. COMPOSITION/HAZARDOUS COMPONENTS

Chemical description: Mixtures

Chemical Name	CAS No.	WT%
DGEBA	025068-38-6	35-50%
Amine	85404-17-7	15-20%
Glass Flake	65997-17-3	03-15%
Aluminum Powder	Proprietary	03-10%
Fine Powder	Proprietary	30-50%
Pigments	Proprietary	02-10%
Additive	Proprietary	02-05%

4. FIRST-AID MEASURES

Take off all contaminated clothing immediately.

In case of inhalation: Supply fresh air and to be sure call for a doctor.

In case of ingestion: Do not induce vomiting. Seek medical advice immediately.

In case of skin contact: Wipe with paper towel and immediately clean with water and soap.

In case of eyes contact: Immediately flush with water, seek medical advice if necessary.

Indication of any immediate attention and special treatment needed:

No further relevant information available.

5. FIRE FIGHTING MEASURES

- **Suitable extinguishing media:** Water spray, dry extinguishing media, carbon dioxide or universal foams Contaminated extinguishing water must be disposed of in accordance with local regulations
- **Unsuitable extinguishing media:** High volume water jet
- **Hazardous decomposition:** Carbon dioxide, carbon monoxide, silicone dioxide and nitrogen oxides and formaldehyde.

6. ACCIDENTAL RELEASE MEASURES

- **Small spills:** Slippery when spilt. Avoid accidents, clean up immediately. Wipe up with rag or absorbent paper.
- **Large spills:** Slippery when spilt. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. Wash area down with excess water. Cured material can only be removed by cutting or abrasion.

7. HANDLING AND STORAGE

- **Handling:** Avoid contact with eyes and skin. Ensure good ventilation during processing. Wear safety shoes.
- **Protection against fire/ explosion:** General rules of fire prevention should be observed.
- **Storage:** Keep container tightly closed and dry.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

Ingredients with limited values to be controlled: Not indicated.

Local exhaust: Recommended
General ventilation: Recommended
Hand protection: Suitable protective gloves.
Eye protection: Safety/ protective glasses.
Flammability: Combustible

Note: Until more data is known, exposure levels should be maintained as low as achievable.

9. PHYSICAL AND CHEMICAL PROPERTIES

PROPERTIES	RESULTS
Chemical Base	Epoxy Amine
Color	Grey
Surface Finish	Semi Glossy
Volume Solid	90+/-2 %
Typical Thickness	100-150 Micron/Coat
Theoretical Coverage	9 to 6 Sq. mtr/Lit/coat
Over Coating	Min 8 hours
Interval	Max 7 days
Full Cure	7 days
Flash Point	Above 280C
Specific Gravity	1.50-1.60 Kg/Liter
VOC	100-150 g/l
Temperature Resistance	130°C to 150°C
Shelf-life	12 Months

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under normal conditions of use.
Incompatibility (material to be avoided):	Incompatible with oxidizing agents.
Conditions to be avoided:	Avoid contact with foodstuffs. Avoid exposure to heat, sources of ignition, and open flame.
Hazardous reactions:	Hazardous polymerization will not occur.
Hazardous products of decomposition:	Oxides of carbon. Oxides of nitrogen.

11. TOXICOLOGICAL INFORMATION

Acute toxicity:	Not determined
Primary irritant effect, On the skin:	Irritant for skin and mucous membranes.
On the eye:	Irritant effect
Sensitization:	Sensitization possible by inhalation.
Additional Toxicological information:	Until more data is known, exposure levels should be Information on toxicological effects
Information on toxicological effects	
Acute Toxicity	
LD/LC50 values relevant for classification:	LD50 4300 mg/kg (rat) LD50 2000 mg/kg (rabbit) ·
1330-20-7 xylene	
Oral Dermal	Irritating. Irritating
Primary irritant effect:	Not classified
on the skin: on the eye: Sensitization:	

12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.
Toxicity: Harmful to aquatic organism.

13. DISPOSAL CONSIDERATIONS

Waste Disposal: Recover or recycle as much as possible. Otherwise dispose in accordance with all applicable national e environment laws and regulations: Normally suitable for disposal at approved land waste site.

14. REGULATORY INFORMATION

Safety, health and environmental regulation/legislation specific for the substance or mixture

The mixture classification is according to CLP Regulation 1272/2008/EC ·

Labelling according to Regulation (EC) No 1272/2008 Label elements in Section 2.2

National regulations:

Other regulations, limitations and prohibitive regulations

Substances of very high concern (SVHC) according to REACH, Article 57

It doesn't contain substances of very high concern (SVHC).

Chemical safety assessment: A Chemical Safety Assessment has not been carried out

15. OTHER INFORMATION

These data are offered in good faith as typical values and not as a product specification. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific content of the intended use and determine whether they are appropriate.

Highbond Coatings Pvt Ltd

Sr. No. 70/2B/1, Flat No 101 & 102,
Purushottam Villa, Vadgaon Bk,
Pune – 411041

Tel: +91 9370953995

Mail: info@highbondcoatings.com